

BirdLife South Africa

# CHECKLIST *of* BIRDS

in South Africa 2018



BirdLife South Africa

# CHECKLIST *of* BIRDS

in South Africa 2018

**RED DATA (RD):** Regional\*, Global

|    |  |
|----|--|
| CR | Critically Endangered                    |
| EN | Endangered                               |
| VU | Vulnerable                               |
| NT | Near Threatened                          |
| LC | Least Concern                            |
| EX | Extinct (regionally)                     |
| DD | Data Deficient                           |
| NR | Not Recognised by BirdLife International |
| NA | Not Assessed                             |



Red List      § Refer to footnote

**STATUS IN SOUTH AFRICA (S)**

|     |            |
|-----|------------|
| V** | Vagrant    |
| I   | Introduced |

\*The 2015 Eskom Red Data Book of Birds of South Africa, Lesotho and Swaziland

\*\* Please report to BirdLife South Africa National Rarities Committee ([rarities@birdlife.org.za](mailto:rarities@birdlife.org.za))

**ENDEMIISM IN SOUTH AFRICA (E)** (not southern Africa, as in field guides)

|     |   |
|-----|---|
| *   | endemic   |
| SLS | endemic to South Africa, Lesotho and Swaziland        |
| (*) | near endemic (i.e. ~70% or more of population in RSA) |
| BLS | breeding South Africa, Lesotho and Swaziland endemic  |

| ✓ SPECIES   | RD     | S | E |
|---|--------|---|---|
| Albatross, Amsterdam <i>Diomedea amsterdamensis</i>                 | NA, CR | V |   |
| Albatross, Atlantic Yellow-nosed <i>Thalassarche chlororhynchos</i> | EN, EN |   |   |
| Albatross, Black-browed <i>Thalassarche melanophrys</i>             | EN, LC |   |   |
| Albatross, Buller's <i>Thalassarche bulleri</i>                     | NA, NT | V |   |
| Albatross, Chatham <i>Thalassarche eremita</i>                      | NA, VU | V |   |
| Albatross, Grey-headed <i>Thalassarche chrysostoma</i>              | EN, EN | V |   |
| Albatross, Indian Yellow-nosed <i>Thalassarche carteri</i>          | EN, EN |   |   |
| Albatross, Laysan <i>Phoebastria immutabilis</i>                    | NA, NT | V |   |
| Albatross, Light-mantled <i>Phoebastria palpebrata</i>              | NT, NT | V |   |
| Albatross, Northern Royal <i>Diomedea sanfordi</i>                  | EN, EN |   |   |
| Albatross, Salvin's <i>Thalassarche salvini</i>                     | NA, VU | V |   |
| Albatross, Shy <i>Thalassarche cauta</i>                            | NT, NT |   |   |
| Albatross, Sooty <i>Phoebastria fusca</i>                           | EN, EN | V |   |
| Albatross, Southern Royal <i>Diomedea epomophora</i>                | VU, VU |   |   |
| Albatross, Tristan <i>Diomedea dabbenena</i>                        | CR, CR | V |   |
| Albatross, Wandering <i>Diomedea exulans</i>                        | VU, VU |   |   |
| Apalis, Bar-throated <i>Apalis thoracica</i>                        |        |   |   |
| Apalis, Rudd's <i>Apalis ruddi</i>                                  |        |   |   |
| Apalis, Yellow-breasted <i>Apalis flavida</i>                       |        |   |   |
| Avocet, Pied <i>Recurvirostra avosetta</i>                          |        |   |   |
| Babbler, Arrow-marked <i>Turdoides jardineii</i>                    |        |   |   |
| Babbler, Southern Pied <i>Turdoides bicolor</i>                     |        |   |   |
| Barbet, Acacia Pied <i>Tricholaema leucomelas</i>                   |        |   |   |
| Barbet, Black-collared <i>Lybius torquatus</i>                      |        |   |   |
| Barbet, Crested <i>Trachyphonus vaillantii</i>                      |        |   |   |
| Barbet, Green <i>Stactolaema olivacea</i>                           | EN, LC |   |   |
| Barbet, White-eared <i>Stactolaema leucotis</i>                     |        |   |   |
| Bateleur <i>Terathopius ecaudatus</i>                               | EN, NT |   |   |
| Batis, Cape <i>Batis capensis</i>                                   |        |   |   |
| Batis, Chinspot <i>Batis molitor</i>                                |        |   |   |

| ✓ SPECIES  | RD     | S | E   |
|--|--------|---|-----|
| Batis, Pirit <i>Batis pirit</i>                        |        |   |     |
| Batis, Woodward's <i>Batis fratrum</i>                 |        |   |     |
| Bee-eater, Blue-cheeked <i>Merops persicus</i>         |        |   |     |
| Bee-eater, European <i>Merops apiaster</i>             |        |   |     |
| Bee-eater, Little <i>Merops pusillus</i>               |        |   |     |
| Bee-eater, Olive <i>Merops superciliosus</i>           |        | V |     |
| Bee-eater, Southern Carmine <i>Merops nubicoides</i>   |        |   |     |
| Bee-eater, Swallow-tailed <i>Merops hirundineus</i>    |        |   |     |
| Bee-eater, White-fronted <i>Merops bullockoides</i>    |        |   |     |
| Bee-eater, White-throated <i>Merops albicollis</i>     |        | V |     |
| Bishop, Southern Red <i>Euplectes orix</i>             |        |   |     |
| Bishop, Yellow <i>Euplectes capensis</i>               |        |   |     |
| Bishop, Yellow-crowned <i>Euplectes afer</i>           |        |   |     |
| Bittern, Dwarf <i>Ixobrychus sturmii</i>               |        |   |     |
| Bittern, Eurasian <i>Botaurus stellaris</i>            |        |   |     |
| Bittern, Little <i>Ixobrychus minutus</i>              |        |   |     |
| Blackcap, Bush <i>Lioptilus nigricapillus</i>          | VU, VU |   | SLS |
| Blackcap, Eurasian <i>Sylvia atricapilla</i>           |        | V |     |
| Bokmakierie <i>Telophorus zeylonus</i>                 |        |   |     |
| Booby, Brown <i>Sula leucogaster</i>                   |        | V |     |
| Booby, Masked <i>Sula dactylatra</i>                   |        | V |     |
| Booby, Red-footed <i>Sula sula</i>                     |        | V |     |
| Boubou, Southern <i>Laniarius ferrugineus</i>          |        |   |     |
| Boubou, Tropical <i>Laniarius major</i>                |        |   |     |
| Broadbill, African <i>Smithornis capensis</i>          | VU, LC |   |     |
| Brownbul, Terrestrial <i>Phyllastrephus terrestris</i> |        |   |     |
| Brubru <i>Nilaus afer</i>                              |        |   |     |
| Bulbul, African Red-eyed <i>Pycnonotus nigricans</i>   |        |   |     |
| Bulbul, Cape <i>Pycnonotus capensis</i>                |        |   | *   |
| Bulbul, Dark-capped <i>Pycnonotus tricolor</i>         |        |   |     |

| ✓ | SPECIES   | RD     | S | E   |
|---|---|--------|---|-----|
|   | <b>Bunting, Cape</b> <i>Emberiza capensis</i>                           |        |   |     |
|   | <b>Bunting, Cinnamon-breasted</b> <i>Emberiza tahapisi</i>              |        |   |     |
|   | <b>Bunting, Golden-breasted</b> <i>Emberiza flaviventris</i>            |        |   |     |
|   | <b>Bunting, Lark-like</b> <i>Emberiza impetواني</i>                     |        |   |     |
|   | <b>Bush-shrike, Black-fronted</b> <i>Chlorophoneus nigrifrons</i>       |        |   |     |
|   | <b>Bush-shrike, Gorgeous</b> <i>Chlorophoneus viridis</i>               |        |   |     |
|   | <b>Bush-shrike, Grey-headed</b> <i>Malaconotus blanchoti</i>            |        |   |     |
|   | <b>Bush-shrike, Olive</b> <i>Chlorophoneus olivaceus</i>                |        |   |     |
|   | <b>Bush-shrike, Orange-breasted</b> <i>Chlorophoneus sulfureopectus</i> |        |   |     |
|   | <b>Bustard, Black-bellied</b> <i>Lissotis melanogaster</i>              |        |   |     |
|   | <b>Bustard, Denham's</b> <i>Neotis denhami</i>                          | VU, NT |   |     |
|   | <b>Bustard, Kori</b> <i>Ardeotis kori</i>                               | NT, NT |   |     |
|   | <b>Bustard, Ludwig's</b> <i>Neotis ludwigii</i>                         | EN, EN |   |     |
|   | <b>Buttonquail, Black-rumped</b> <i>Turnix nanus</i>                    | EN, LC |   |     |
|   | <b>Buttonquail, Common (Kurrichane)</b> <i>Turnix sylvaticus</i>        |        |   |     |
|   | <b>Buttonquail, Hottentot</b> <i>Turnix hottentottus</i>                | EN, EN |   | *   |
|   | <b>Buzzard, Common (Steppe)</b> <i>Buteo buteo</i>                      |        |   |     |
|   | <b>Buzzard, European Honey</b> <i>Pernis apivorus</i>                   |        |   |     |
|   | <b>Buzzard, Forest</b> <i>Buteo trizonatus</i>                          | LC, NT |   | SLS |
|   | <b>Buzzard, Jackal</b> <i>Buteo rufofuscus</i>                          |        |   | (*) |
|   | <b>Buzzard, Lizard</b> <i>Kaupifalco monogrammicus</i>                  |        |   |     |
|   | <b>Buzzard, Red-necked</b> <i>Buteo auguralis</i>                       |        | V |     |
|   | <b>Camaroptera, Green-backed</b> <i>Camaroptera brachyura</i>           |        |   |     |
|   | <b>Camaroptera, Grey-backed</b> <i>Camaroptera brevicaudata</i>         |        |   |     |
|   | <b>Canary, Black-headed</b> <i>Serinus alario</i>                       |        |   | (*) |
|   | <b>Canary, Black-throated</b> <i>Crithagra atrogularis</i>              |        |   |     |
|   | <b>Canary, Brimstone</b> <i>Crithagra sulphurata</i>                    |        |   |     |
|   | <b>Canary, Cape</b> <i>Serinus canicollis</i>                           |        |   |     |
|   | <b>Canary, Forest</b> <i>Crithagra scotops</i>                          |        |   | SLS |
|   | <b>Canary, Lemon-breasted</b> <i>Crithagra citrinipectus</i>            | NT, LC |   |     |

| ✓ | SPECIES  | RD     | S | E   |
|---|--|--------|---|-----|
|   | <b>Canary, White-throated</b> <i>Crithagra albogularis</i>     |        |   |     |
|   | <b>Canary, Yellow</b> <i>Crithagra flaviventris</i>            |        |   |     |
|   | <b>Canary, Yellow-fronted</b> <i>Crithagra mozambica</i>       |        |   |     |
|   | <b>Chaffinch, Common</b> <i>Fringilla coelebs</i>              |        | I |     |
|   | <b>Chat, Ant-eating</b> <i>Myrmecocichla formicivora</i>       |        |   |     |
|   | <b>Chat, Arnott's</b> <i>Myrmecocichla arnotti</i>             |        |   |     |
|   | <b>Chat, Boulder</b> <i>Pinarornis plumosus</i>                |        | V |     |
|   | <b>Chat, Buff-streaked</b> <i>Campicoloides bifasciata</i>     |        |   | SLS |
|   | <b>Chat, Familiar</b> <i>Cercomela familiaris</i>              |        |   |     |
|   | <b>Chat, Karoo</b> <i>Cercomela schlegelii</i>                 |        |   |     |
|   | <b>Chat, Mocking Cliff</b> <i>Thamnolaea cinnamomeiventris</i> |        |   |     |
|   | <b>Chat, Sickle-winged</b> <i>Cercomela sinuata</i>            |        |   | (*) |
|   | <b>Chat, Tractrac</b> <i>Cercomela tractrac</i>                |        |   |     |
|   | <b>Cisticola, Cloud</b> <i>Cisticola tetricus</i>              |        |   | (*) |
|   | <b>Cisticola, Croaking</b> <i>Cisticola natalensis</i>         |        |   |     |
|   | <b>Cisticola, Desert</b> <i>Cisticola aridulus</i>             |        |   |     |
|   | <b>Cisticola, Grey-backed</b> <i>Cisticola subruficapilla</i>  |        |   |     |
|   | <b>Cisticola, Lazy</b> <i>Cisticola aberrans</i>               |        |   |     |
|   | <b>Cisticola, Levallant's</b> <i>Cisticola tinniens</i>        |        |   |     |
|   | <b>Cisticola, Pale-crowned</b> <i>Cisticola cinnamomeus</i>    |        |   |     |
|   | <b>Cisticola, Rattling</b> <i>Cisticola chiniana</i>           |        |   |     |
|   | <b>Cisticola, Red-faced</b> <i>Cisticola erythrops</i>         |        |   |     |
|   | <b>Cisticola, Rufous-winged</b> <i>Cisticola galactotes</i>    |        |   |     |
|   | <b>Cisticola, Tinkling</b> <i>Cisticola ruflatus</i>           |        |   |     |
|   | <b>Cisticola, Wailing</b> <i>Cisticola lais</i>                |        |   |     |
|   | <b>Cisticola, Wing-snapping</b> <i>Cisticola ayresii</i>       |        |   |     |
|   | <b>Cisticola, Zitting</b> <i>Cisticola juncidis</i>            |        |   |     |
|   | <b>Coot, Red-knobbed</b> <i>Fulica cristata</i>                |        |   |     |
|   | <b>Cormorant, Bank</b> <i>Phalacrocorax neglectus</i>          | EN, EN |   |     |
|   | <b>Cormorant, Cape</b> <i>Phalacrocorax capensis</i>           | EN, EN |   |     |

| ✓ SPECIES  | RD     | S | E |
|--|--------|---|---|
| <b>Cormorant, Crowned</b> <i>Microcarbo coronatus</i>          | NT, NT |   |   |
| <b>Cormorant, Reed</b> <i>Microcarbo africanus</i>             |        |   |   |
| <b>Cormorant, White-breasted</b> <i>Phalacrocorax lucidus</i>  |        |   |   |
| <b>Coucal, Black</b> <i>Centropus grillii</i>                  |        |   |   |
| <b>Coucal, Burchell's</b> <i>Centropus burchellii</i>          |        |   |   |
| <b>Coucal, Senegal</b> <i>Centropus senegalensis</i>           |        |   |   |
| <b>Cursorer, Bronze-winged</b> <i>Rhinoptilus chalcopterus</i> |        |   |   |
| <b>Cursorer, Burchell's</b> <i>Cursorius rufus</i>             | VU, LC |   |   |
| <b>Cursorer, Double-banded</b> <i>Rhinoptilus africanus</i>    |        |   |   |
| <b>Cursorer, Temminck's</b> <i>Cursorius temminckii</i>        |        |   |   |
| <b>Cursorer, Three-banded</b> <i>Rhinoptilus cinctus</i>       |        |   |   |
| <b>Crake, African</b> <i>Crex egregia</i>                      |        |   |   |
| <b>Crake, Baillon's</b> <i>Porzana pusilla</i>                 |        |   |   |
| <b>Crake, Black</b> <i>Amaurornis flavirostra</i>              |        |   |   |
| <b>Crake, Corn</b> <i>Crex crex</i>                            |        |   |   |
| <b>Crake, Little</b> <i>Porzana parva</i>                      |        | V |   |
| <b>Crake, Spotted</b> <i>Porzana porzana</i>                   |        |   |   |
| <b>Crake, Striped</b> <i>Aenigmatolimnas marginalis</i>        |        |   |   |
| <b>Crane, Blue</b> <i>Anthropoides paradiseus</i>              | NT, VU |   |   |
| <b>Crane, Grey Crowned</b> <i>Balearica regulorum</i>          | EN, EN |   |   |
| <b>Crane, Wattled</b> <i>Bugeranus carunculatus</i>            | CR, VU |   |   |
| <b>Creepers, African Spotted</b> <i>Salpornis salvadori</i>    |        | V |   |
| <b>Crombec, Long-billed</b> <i>Sylvietta rufescens</i>         |        |   |   |
| <b>Crow, Cape</b> <i>Corvus capensis</i>                       |        |   |   |
| <b>Crow, House</b> <i>Corvus splendens</i>                     |        | I |   |
| <b>Crow, Pied</b> <i>Corvus albus</i>                          |        |   |   |
| <b>Cuckoo, African</b> <i>Cuculus gularis</i>                  |        |   |   |
| <b>Cuckoo, African Emerald</b> <i>Chrysococcyx cupreus</i>     |        |   |   |
| <b>Cuckoo, Barred Long-tailed</b> <i>Cercococcyx montanus</i>  |        | V |   |
| <b>Cuckoo, Black</b> <i>Cuculus clamosus</i>                   |        |   |   |

| ✓ SPECIES  | RD     | S | E |
|--|--------|---|---|
| <b>Cuckoo, Common</b> <i>Cuculus canorus</i>                   |        |   |   |
| <b>Cuckoo, Diederik</b> <i>Chrysococcyx caprius</i>            |        |   |   |
| <b>Cuckoo, Great Spotted</b> <i>Clamator glandarius</i>        |        |   |   |
| <b>Cuckoo, Jacobin</b> <i>Clamator jacobinus</i>               |        |   |   |
| <b>Cuckoo, Klaas's</b> <i>Chrysococcyx klaas</i>               |        |   |   |
| <b>Cuckoo, Levaillant's</b> <i>Clamator levaillantii</i>       |        |   |   |
| <b>Cuckoo, Madagascar</b> <i>Cuculus rochii</i>                |        | V |   |
| <b>Cuckoo, Red-chested</b> <i>Cuculus solitarius</i>           |        |   |   |
| <b>Cuckoo, Thick-billed</b> <i>Pachycoccyx audeberti</i>       |        |   |   |
| <b>Cuckooshrike, Black</b> <i>Campephaga flava</i>             |        |   |   |
| <b>Cuckooshrike, Grey</b> <i>Coracina caesia</i>               |        |   |   |
| <b>Cuckooshrike, White-breasted</b> <i>Coracina pectoralis</i> |        |   |   |
| <b>Curlew, Eurasian</b> <i>Numenius arquata</i>                | NT, NT |   |   |
| <b>Darter, African</b> <i>Anhinga rufa</i>                     |        |   |   |
| <b>Dove, African Mourning</b> <i>Streptopelia decipiens</i>    |        |   |   |
| <b>Dove, Blue-spotted Wood</b> <i>Turtur afer</i>              |        |   |   |
| <b>Dove, Cape Turtle</b> <i>Streptopelia capicola</i>          |        |   |   |
| <b>Dove, Emerald-spotted Wood</b> <i>Turtur chalcospilus</i>   |        |   |   |
| <b>Dove, European Turtle</b> <i>Streptopelia turtur</i>        | NA, VU | V |   |
| <b>Dove, Laughing</b> <i>Streptopelia senegalensis</i>         |        |   |   |
| <b>Dove, Lemon</b> <i>Columba larvata</i>                      |        |   |   |
| <b>Dove, Namaqua</b> <i>Oena capensis</i>                      |        |   |   |
| <b>Dove, Red-eyed</b> <i>Streptopelia semitorquata</i>         |        |   |   |
| <b>Dove, Rock</b> <i>Columba livia</i>                         |        |   |   |
| <b>Dove, Tambourine</b> <i>Turtur tympanistria</i>             |        |   |   |
| <b>Dowitcher, Asiatic</b> <i>Limnodromus semipalmatus</i>      | NA, NT | V |   |
| <b>Drongo, Fork-tailed</b> <i>Dicrurus adsimilis</i>           |        |   |   |
| <b>Drongo, Square-tailed</b> <i>Dicrurus ludwigii</i>          |        |   |   |
| <b>Duck, African Black</b> <i>Anas sparsa</i>                  |        |   |   |
| <b>Duck, Fulvous Whistling</b> <i>Dendrocygna bicolor</i>      |        |   |   |

| ✓ SPECIES   | RD     | S | E   |
|---|--------|---|-----|
| Duck, Knob-billed <i>Sarkidiornis melanotos</i>             |        |   |     |
| Duck, Maccoa <i>Oxyura maccoa</i>                           | NT, VU |   |     |
| Duck, White-backed <i>Thalassornis leuconotus</i>           |        |   |     |
| Duck, White-faced Whistling <i>Dendrocygna viduata</i>      |        |   |     |
| Duck, Yellow-billed <i>Anas undulata</i>                    |        |   |     |
| Dunlin <i>Calidris alpina</i>                               |        | V |     |
| Eagle, African Fish <i>Haliaeetus vocifer</i>               |        |   |     |
| Eagle, African Hawk <i>Aquila spilogaster</i>               |        |   |     |
| Eagle, Ayres's Hawk <i>Hieraaetus ayresii</i>               |        |   |     |
| Eagle, Black-chested Snake <i>Circaetus pectoralis</i>      |        |   |     |
| Eagle, Booted <i>Hieraaetus pennatus</i>                    |        |   |     |
| Eagle, Brown Snake <i>Circaetus cinereus</i>                |        |   |     |
| Eagle, Crowned <i>Stephanoaetus coronatus</i>               | VU, NT |   |     |
| Eagle, Lesser Spotted <i>Clanga pomarina</i>                |        |   |     |
| Eagle, Long-crested <i>Lophaetus occipitalis</i>            |        |   |     |
| Eagle, Martial <i>Polemaetus bellicosus</i>                 | EN, VU |   |     |
| Eagle, Southern Banded Snake <i>Circaetus fasciolatus</i>   | CR, NT |   |     |
| Eagle, Steppe <i>Aquila nipalensis</i>                      | LC, EN |   |     |
| Eagle, Tawny <i>Aquila rapax</i>                            | EN, LC |   |     |
| Eagle, Verreaux's <i>Aquila verreauxii</i>                  | VU, LC |   |     |
| Eagle, Wahlberg's <i>Hieraaetus wahlbergi</i>               |        |   |     |
| Egret, Great <i>Egretta alba</i>                            |        |   |     |
| Egret, Little <i>Egretta garzetta</i>                       |        |   |     |
| Egret, Slaty <i>Egretta vinaceigula</i>                     | NA, VU | V |     |
| Egret, Snowy <i>Egretta thula</i>                           |        | V |     |
| Egret, Western Cattle <i>Bubulcus ibis</i>                  |        |   |     |
| Egret, Yellow-billed (Intermediate) <i>Ardea intermedia</i> |        |   |     |
| Eremomela, Burnt-necked <i>Eremomela usticollis</i>         |        |   |     |
| Eremomela, Green-capped <i>Eremomela scotops</i>            |        |   |     |
| Eremomela, Karoo <i>Eremomela gregalis</i>                  |        |   | (*) |

| ✓ SPECIES   | RD     | S | E |
|---|--------|---|---|
| Eremomela, Yellow-bellied <i>Eremomela icteropygialis</i> |        |   |   |
| Falcon, Amur <i>Falco amurensis</i>                       |        |   |   |
| Falcon, Eleonora's <i>Falco eleonora</i>                  |        | V |   |
| Falcon, Lanner <i>Falco biarmicus</i>                     | VU, LC |   |   |
| Falcon, Peregrine <i>Falco peregrinus</i>                 |        |   |   |
| Falcon, Pygmy <i>Polihierax semitorquatus</i>             |        |   |   |
| Falcon, Red-footed <i>Falco vespertinus</i>               | NT, NT |   |   |
| Falcon, Red-necked <i>Falco chicquera</i>                 |        |   |   |
| Falcon, Sooty <i>Falco concolor</i>                       | NA, NT |   |   |
| Falcon, Taita <i>Falco fasciinucha</i>                    | CR, VU |   |   |
| Finch, Cuckoo <i>Anomalospiza imberbis</i>                |        |   |   |
| Finch, Cut-throat <i>Amadina fasciata</i>                 |        |   |   |
| Finch, Red-headed <i>Amadina erythrocephala</i>           |        |   |   |
| Finch, Scaly-feathered <i>Sporopipes squamifrons</i>      |        |   |   |
| Finfoot, African <i>Podica senegalensis</i>               | VU, LC |   |   |
| Firefinch, African <i>Lagonosticta rubricata</i>          |        |   |   |
| Firefinch, Jameson's <i>Lagonosticta rhodopareia</i>      |        |   |   |
| Firefinch, Red-billed <i>Lagonosticta senegala</i>        |        |   |   |
| Fiscal, Southern (Common) <i>Lanius collaris</i>          |        |   |   |
| Flamingo, Greater <i>Phoenicopterus roseus</i>            | NT, LC |   |   |
| Flamingo, Lesser <i>Phoeniconaias minor</i>               | NT, NT |   |   |
| Flufftail, Buff-spotted <i>Sarothrura elegans</i>         |        |   |   |
| Flufftail, Red-chested <i>Sarothrura rufa</i>             |        |   |   |
| Flufftail, Streaky-breasted <i>Sarothrura boehmi</i>      |        | V |   |
| Flufftail, Striped <i>Sarothrura affinis</i>              | VU, LC |   |   |
| Flufftail, White-winged <i>Sarothrura ayresi</i>          | CR, CR |   |   |
| Flycatcher, African Dusky <i>Muscicapa adusta</i>         |        |   |   |
| Flycatcher, African Paradise <i>Terpsiphone viridis</i>   |        |   |   |
| Flycatcher, Ashy <i>Muscicapa caerulescens</i>            |        |   |   |
| Flycatcher, Black-and-white (Vanga) <i>Bias musicus</i>   |        | V |   |

| ✓ | SPECIES  | RD     | S | E   |
|---|--|--------|---|-----|
|   | <b>Flycatcher, Blue-mantled Crested</b> <i>Trochocercus cyanomelas</i> |        |   |     |
|   | <b>Flycatcher, Chat</b> <i>Bradornis infuscatus</i>                    |        |   |     |
|   | <b>Flycatcher, Collared</b> <i>Ficedula albicollis</i>                 |        | V |     |
|   | <b>Flycatcher, European Pied</b> <i>Ficedula hypoleuca</i>             |        | V |     |
|   | <b>Flycatcher, Fairy</b> <i>Stenostira scita</i>                       |        |   | (*) |
|   | <b>Flycatcher, Fiscal</b> <i>Sigelus silens</i>                        |        |   | (*) |
|   | <b>Flycatcher, Grey Tit-</b> <i>Myioparus plumbeus</i>                 |        |   |     |
|   | <b>Flycatcher, Marico</b> <i>Bradornis mariquensis</i>                 |        |   |     |
|   | <b>Flycatcher, Pale</b> <i>Bradornis pallidus</i>                      |        |   |     |
|   | <b>Flycatcher, Southern Black</b> <i>Melaenornis pammelaina</i>        |        |   |     |
|   | <b>Flycatcher, Spotted</b> <i>Muscicapa striata</i>                    |        |   |     |
|   | <b>Francolin, Coqui</b> <i>Peliperdix coqui</i>                        |        |   |     |
|   | <b>Francolin, Crested</b> <i>Dendroperdix sephaena</i>                 |        |   |     |
|   | <b>Francolin, Grey-winged</b> <i>Scleroptila afra</i>                  |        |   | SLS |
|   | <b>Francolin, Orange River</b> <i>Scleroptila gutturalis</i>           |        |   |     |
|   | <b>Francolin, Red-winged</b> <i>Scleroptila levaillantii</i>           |        |   |     |
|   | <b>Francolin, Shelley's</b> <i>Scleroptila shelleyi</i>                |        |   |     |
|   | <b>Frigatebird, Great</b> <i>Fregata minor</i>                         |        | V |     |
|   | <b>Frigatebird, Lesser</b> <i>Fregata ariel</i>                        |        | V |     |
|   | <b>Fulmar, Southern</b> <i>Fulmarus glacialisoides</i>                 |        |   |     |
|   | <b>Gallinule, Allen's</b> <i>Porphyrio alleni</i>                      |        |   |     |
|   | <b>Gallinule, American (Purple)</b> <i>Porphyrio martinicus</i>        |        | V |     |
|   | <b>Gannet, Australasian</b> <i>Morus serrator</i>                      |        | V |     |
|   | <b>Gannet, Cape</b> <i>Morus capensis</i>                              | EN, VU |   |     |
|   | <b>Garganey</b> <i>Anas querquedula</i>                                |        | V |     |
|   | <b>Go-away-bird, Grey</b> <i>Corythaixoides concolor</i>               |        |   |     |
|   | <b>Godwit, Bar-tailed</b> <i>Limosa lapponica</i>                      | LC, NT |   |     |
|   | <b>Godwit, Black-tailed</b> <i>Limosa limosa</i>                       | NA, NT | V |     |
|   | <b>Godwit, Hudsonian</b> <i>Limosa haemastica</i>                      |        | V |     |
|   | <b>Goose, African Pygmy</b> <i>Nettapus auritus</i>                    | VU, LC |   |     |

| ✓ | SPECIES  | RD     | S | E   |
|---|--|--------|---|-----|
|   | <b>Goose, Egyptian</b> <i>Alopochen aegyptiaca</i>                   |        |   |     |
|   | <b>Goose, Spur-winged</b> <i>Plectropterus gambensis</i>             |        |   |     |
|   | <b>Goshawk, African</b> <i>Accipiter tachiro</i>                     |        |   |     |
|   | <b>Goshawk, Dark Chanting</b> <i>Melierax metabates</i>              |        |   |     |
|   | <b>Goshawk, Gabar</b> <i>Melierax gabar</i>                          |        |   |     |
|   | <b>Goshawk, Pale Chanting</b> <i>Melierax canorus</i>                |        |   |     |
|   | <b>Grassbird, Cape</b> <i>Sphenoeacus afer</i>                       |        |   | (*) |
|   | <b>Grebe, Black-necked</b> <i>Podiceps nigricollis</i>               |        |   |     |
|   | <b>Grebe, Great Crested</b> <i>Podiceps cristatus</i>                |        |   |     |
|   | <b>Grebe, Little</b> <i>Tachybaptus ruficollis</i>                   |        |   |     |
|   | <b>Greenbul, Sombre</b> <i>Andropadus importunus</i>                 |        |   |     |
|   | <b>Greenbul, Yellow-bellied</b> <i>Chlorocichla flaviventris</i>     |        |   |     |
|   | <b>Greenbul, Yellow-streaked</b> <i>Phyllastrephus flavostriatus</i> |        |   |     |
|   | <b>Greenshank, Common</b> <i>Tringa nebularia</i>                    |        |   |     |
|   | <b>Guineafowl, Crested</b> <i>Guttera pucherani</i>                  |        |   |     |
|   | <b>Guineafowl, Helmeted</b> <i>Numida meleagris</i>                  |        |   |     |
|   | <b>Gull, Common Black-headed</b> <i>Chroicocephalus ridibundus</i>   |        | V |     |
|   | <b>Gull, Franklin's</b> <i>Leucophaeus pipixcan</i>                  |        | V |     |
|   | <b>Gull, Grey-headed</b> <i>Chroicocephalus cirrocephalus</i>        |        |   |     |
|   | <b>Gull, Hartlaub's</b> <i>Chroicocephalus hartlaubii</i>            |        |   |     |
|   | <b>Gull, Kelp</b> <i>Larus dominicanus</i>                           |        |   |     |
|   | <b>Gull, Lesser Black-backed</b> <i>Larus fuscus</i>                 |        | V |     |
|   | <b>Gull, Sabine's</b> <i>Xema sabini</i>                             |        |   |     |
|   | <b>Gull, Slender-billed</b> <i>Chroicocephalus genei</i>             |        | V |     |
|   | <b>Hamerkop</b> <i>Scopus umbretta</i>                               |        |   |     |
|   | <b>Harrier, African Marsh</b> <i>Circus ranivorus</i>                | EN, LC |   |     |
|   | <b>Harrier, Black</b> <i>Circus maurus</i>                           | EN, EN |   | (*) |
|   | <b>Harrier, Montagu's</b> <i>Circus pygargus</i>                     |        |   |     |
|   | <b>Harrier, Pallid</b> <i>Circus macrourus</i>                       | NT, NT |   |     |
|   | <b>Harrier, Western Marsh</b> <i>Circus aeruginosus</i>              |        |   |     |

| ✓ SPECIES  | RD     | S | E |
|--|--------|---|---|
| Hawk, African Cuckoo <i>Aviceda cuculoides</i>             |        |   |   |
| Hawk, African Harrier- <i>Polyboroides typus</i>           |        |   |   |
| Hawk, Bat <i>Macheiramphus alcinus</i>                     | EN, LC |   |   |
| Helmet-shrike, Chestnut-fronted <i>Prionops scopifrons</i> |        | V |   |
| Helmet-shrike, Retz's <i>Prionops retzii</i>               |        |   |   |
| Helmet-shrike, White-crested <i>Prionops plumatus</i>      |        |   |   |
| Heron, Black <i>Egretta ardesiaca</i>                      |        |   |   |
| Heron, Black-crowned Night <i>Nycticorax nycticorax</i>    |        |   |   |
| Heron, Black-headed <i>Ardea melanocephala</i>             |        |   |   |
| Heron, Goliath <i>Ardea goliath</i>                        |        |   |   |
| Heron, Green-backed <i>Butorides striata</i>               |        |   |   |
| Heron, Grey <i>Ardea cinerea</i>                           |        |   |   |
| Heron, Little Blue <i>Egretta caerulea</i>                 |        | V |   |
| Heron, Purple <i>Ardea purpurea</i>                        |        |   |   |
| Heron, Rufous-bellied <i>Ardeola rufiventris</i>           |        |   |   |
| Heron, Squacco <i>Ardeola ralloides</i>                    |        |   |   |
| Heron, White-backed Night <i>Gorsachius leuconotus</i>     | VU, LC |   |   |
| Hobby, African <i>Falco cuvierii</i>                       |        | V |   |
| Hobby, Eurasian <i>Falco subbuteo</i>                      |        |   |   |
| Honeybird, Brown-backed <i>Prodotiscus regulus</i>         |        |   |   |
| Honeyguide, Greater <i>Indicator indicator</i>             |        |   |   |
| Honeyguide, Lesser <i>Indicator minor</i>                  |        |   |   |
| Honeyguide, Scaly-throated <i>Indicator variegatus</i>     |        |   |   |
| Hoopoe, African <i>Upupa africana</i>                      |        |   |   |
| Hornbill, African Grey <i>Tockus nasutus</i>               |        |   |   |
| Hornbill, Crowned <i>Tockus alboterminatus</i>             |        |   |   |
| Hornbill, Southern Ground- <i>Bucorvus leadbeateri</i>     | EN, VU |   |   |
| Hornbill, Southern Red-billed <i>Tockus rufirostris</i>    |        |   |   |
| Hornbill, Southern Yellow-billed <i>Tockus leucomelas</i>  |        |   |   |
| Hornbill, Trumpeter <i>Bycanistes bucinator</i>            |        |   |   |

| ✓ SPECIES  | RD     | S | E   |
|--|--------|---|-----|
| Hyliota, Southern <i>Hyliota australis</i>           |        |   |     |
| Ibis, African Sacred <i>Threskiornis aethiopicus</i> |        |   |     |
| Ibis, Glossy <i>Plegadis falcinellus</i>             |        |   |     |
| Ibis, Hadeda <i>Bostrychia hagedash</i>              |        |   |     |
| Ibis, Southern Bald <i>Geronticus calvus</i>         | VU, VU |   | SLS |
| Indigobird, Dusky <i>Vidua funerea</i>               |        |   |     |
| Indigobird, Purple <i>Vidua purpurascens</i>         |        |   |     |
| Indigobird, Village <i>Vidua chalybeata</i>          |        |   |     |
| Jacana, African <i>Actophilornis africanus</i>       |        |   |     |
| Jacana, Lesser <i>Microparra capensis</i>            | VU, LC |   |     |
| Jaeger, Long-tailed <i>Stercorarius longicaudus</i>  |        |   |     |
| Jaeger, Parasitic <i>Stercorarius parasiticus</i>    |        |   |     |
| Jaeger, Pomarine <i>Stercorarius pomarinus</i>       |        |   |     |
| Kestrel, Dickinson's <i>Falco dickinsoni</i>         |        |   |     |
| Kestrel, Greater <i>Falco rupicoloides</i>           |        |   |     |
| Kestrel, Lesser <i>Falco naumanni</i>                |        |   |     |
| Kestrel, Rock <i>Falco rupicolus</i>                 |        |   |     |
| Kingfisher, African Pygmy <i>Ispidina picta</i>      |        |   |     |
| Kingfisher, Brown-hooded <i>Halcyon albiventris</i>  |        |   |     |
| Kingfisher, Giant <i>Megaceryle maxima</i>           |        |   |     |
| Kingfisher, Grey-headed <i>Halcyon leucocephala</i>  |        |   |     |
| Kingfisher, Half-collared <i>Alcedo semitorquata</i> | NT, LC |   |     |
| Kingfisher, Malachite <i>Alcedo cristata</i>         |        |   |     |
| Kingfisher, Mangrove <i>Halcyon senegaloides</i>     | EN, LC |   |     |
| Kingfisher, Pied <i>Ceryle rudis</i>                 |        |   |     |
| Kingfisher, Striped <i>Halcyon chelicuti</i>         |        |   |     |
| Kingfisher, Woodland <i>Halcyon senegalensis</i>     |        |   |     |
| Kite, Black <i>Milvus migrans</i>                    |        |   |     |
| Kite, Black-winged <i>Elanus caeruleus</i>           |        |   |     |
| Kite, Yellow-billed <i>Milvus aegyptius</i>          |        |   |     |



| ✓ SPECIES  | RD     | S | E   |
|--|--------|---|-----|
| Kittiwake, Black-legged <i>Rissa tridactyla</i>            | LC, VU | V |     |
| Knot, Great <i>Calidris tenuirostris</i>                   | NA, EN | V |     |
| Knot, Red <i>Calidris canutus</i>                          | LC, NT |   |     |
| Korhaan, Blue <i>Eupodotis caerulescens</i>                | LC, NT |   | SLS |
| Korhaan, Karoo <i>Eupodotis vigorsii</i>                   | NT, LC |   |     |
| Korhaan, Northern Black <i>Afrotis afraoides</i>           |        |   |     |
| Korhaan, Red-crested <i>Lophotis ruficrista</i>            |        |   |     |
| Korhaan, Southern Black <i>Afrotis afra</i>                | VU, VU |   | *   |
| Korhaan, White-bellied <i>Eupodotis senegalensis</i>       | VU, LC |   |     |
| Lapwing, African Wattled <i>Vanellus senegallus</i>        |        |   |     |
| Lapwing, Blacksmith <i>Vanellus armatus</i>                |        |   |     |
| Lapwing, Black-winged <i>Vanellus melanopterus</i>         |        |   |     |
| Lapwing, Crowned <i>Vanellus coronatus</i>                 |        |   |     |
| Lapwing, Long-toed <i>Vanellus crassirostris</i>           |        | V |     |
| Lapwing, Senegal <i>Vanellus lugubris</i>                  |        |   |     |
| Lapwing, White-crowned <i>Vanellus albiceps</i>            |        |   |     |
| Lark, Agulhas Long-billed <i>Certhilauda brevirostris</i>  | NT, NR |   | *   |
| Lark, Barlow's <i>Calendulauda barlowi</i>                 | NT, LC |   |     |
| Lark, Black-eared Sparrow- <i>Eremopterix australis</i>    |        |   | (*) |
| Lark, Botha's <i>Spizocorys fringillaris</i>               | EN, EN |   | *   |
| Lark, Cape Clapper <i>Mirafrapa apiata</i>                 |        |   | (*) |
| Lark, Cape Long-billed <i>Certhilauda curvirostris</i>     |        |   | *   |
| Lark, Chestnut-backed Sparrow- <i>Eremopterix leucotis</i> |        |   |     |
| Lark, Dusky <i>Pinarocorys nigricans</i>                   |        |   |     |
| Lark, Eastern Clapper <i>Mirafrapa fasciolata</i>          |        |   |     |
| Lark, Eastern Long-billed <i>Certhilauda semitorquata</i>  |        |   | SLS |
| Lark, Fawn-coloured <i>Calendulauda africanoides</i>       |        |   |     |
| Lark, Flappet <i>Mirafrapa rufocinnamomea</i>              |        |   |     |
| Lark, Grey-backed Sparrow- <i>Eremopterix verticalis</i>   |        |   |     |
| Lark, Karoo <i>Calendulauda albescens</i>                  |        |   | (*) |

| ✓ SPECIES  | RD     | S | E   |
|--|--------|---|-----|
| Lark, Karoo Long-billed <i>Certhilauda subcoronata</i> |        |   |     |
| Lark, Large-billed <i>Galerida magnirostris</i>        |        |   | (*) |
| Lark, Melodious <i>Mirafrapa cheniana</i>              |        |   | (*) |
| Lark, Monotonous <i>Mirafrapa passerina</i>            |        |   |     |
| Lark, Pink-billed <i>Spizocorys conirostris</i>        |        |   |     |
| Lark, Red <i>Calendulauda burra</i>                    | VU, VU |   | *   |
| Lark, Red-capped <i>Calandrella cinerea</i>            |        |   |     |
| Lark, Rudd's <i>Heteromirafrapa ruddi</i>              | EN, EN |   | *   |
| Lark, Rufous-naped <i>Mirafrapa africana</i>           |        |   |     |
| Lark, Sabota <i>Calendulauda sabota</i>                |        |   |     |
| Lark, Sclater's <i>Spizocorys sclateri</i>             | NT, NT |   | (*) |
| Lark, Short-clawed <i>Certhilauda chuana</i>           | NT, LC |   |     |
| Lark, Spike-heeled <i>Chersomanes albofasciata</i>     |        |   |     |
| Lark, Stark's <i>Spizocorys starki</i>                 |        |   |     |
| Longclaw, Cape <i>Macronyx capensis</i>                |        |   |     |
| Longclaw, Rosy-throated <i>Macronyx ameliae</i>        | NT, LC |   |     |
| Longclaw, Yellow-throated <i>Macronyx croceus</i>      |        |   |     |
| Lovebird, Rosy-faced <i>Agapornis roseicollis</i>      |        |   |     |
| Malkoha, Green <i>Ceuthmochares australis</i>          |        |   |     |
| Mallard <i>Anas platyrhynchos</i>                      |        | I |     |
| Mannikin, Bronze <i>Lonchura cucullata</i>             |        |   |     |
| Mannikin, Magpie <i>Lonchura fringilloides</i>         |        |   |     |
| Mannikin, Red-backed <i>Lonchura nigriceps</i>         |        |   |     |
| Martin, Banded <i>Riparia cincta</i>                   |        |   |     |
| Martin, Brown-throated <i>Riparia paludicola</i>       |        |   |     |
| Martin, Common House <i>Delichon urbicum</i>           |        |   |     |
| Martin, Rock <i>Hirundo fuligula</i>                   |        |   |     |
| Martin, Sand <i>Riparia riparia</i>                    |        |   |     |
| Moorhen, Common <i>Gallinula chloropus</i>             |        |   |     |
| Moorhen, Lesser <i>Paragallinula angulata</i>          |        |   |     |

| ✓ SPECIES   | RD     | S | E |
|---|--------|---|---|
| Mousebird, Red-faced <i>Urocolius indicus</i>           |        |   |   |
| Mousebird, Speckled <i>Colius striatus</i>              |        |   |   |
| Mousebird, White-backed <i>Colius colius</i>            |        |   |   |
| Myna, Common <i>Acridotheres tristis</i>                |        | I |   |
| Neddicky <i>Cisticola fulvicapilla</i>                  |        |   |   |
| Nicator, Eastern <i>Nicator gularis</i>                 |        |   |   |
| Nightingale, Thrush <i>Luscinia luscinia</i>            |        |   |   |
| Nightjar, European <i>Caprimulgus europaeus</i>         |        |   |   |
| Nightjar, Fiery-necked <i>Caprimulgus pectoralis</i>    |        |   |   |
| Nightjar, Freckled <i>Caprimulgus tristigma</i>         |        |   |   |
| Nightjar, Pennant-winged <i>Caprimulgus vexillarius</i> |        |   |   |
| Nightjar, Rufous-cheeked <i>Caprimulgus rufigena</i>    |        |   |   |
| Nightjar, Square-tailed <i>Caprimulgus fossii</i>       |        |   |   |
| Nightjar, Swamp <i>Caprimulgus natalensis</i>           | VU, LC |   |   |
| Noddy, Brown <i>Anous stolidus</i>                      |        | V |   |
| Noddy, Lesser <i>Anous tenuirostris</i>                 |        | V |   |
| Openbill, African <i>Anastomus lamelligerus</i>         |        |   |   |
| Oriole, African Golden <i>Oriolus auratus</i>           |        |   |   |
| Oriole, Black-headed <i>Oriolus larvatus</i>            |        |   |   |
| Oriole, Eurasian Golden <i>Oriolus oriolus</i>          |        |   |   |
| Osprey, Western <i>Pandion haliaetus</i>                |        |   |   |
| Ostrich, Common <i>Struthio camelus</i>                 |        |   |   |
| Owl, African Grass <i>Tyto capensis</i>                 | VU, LC |   |   |
| Owl, African Scops <i>Otus senegalensis</i>             |        |   |   |
| Owl, African Wood <i>Strix woodfordii</i>               |        |   |   |
| Owl, Cape Eagle- <i>Bubo capensis</i>                   |        |   |   |
| Owl, Marsh <i>Asio capensis</i>                         |        |   |   |
| Owl, Pel's Fishing <i>Scotopelia peli</i>               | EN, LC |   |   |
| Owl, Southern White-faced <i>Ptilopsis granti</i>       |        |   |   |
| Owl, Spotted Eagle- <i>Bubo africanus</i>               |        |   |   |

| ✓ SPECIES   | RD     | S | E |
|---|--------|---|---|
| Owl, Verreaux's Eagle- <i>Bubo lacteus</i>              |        |   |   |
| Owl, Western Barn <i>Tyto alba</i>                      |        |   |   |
| Owlet, African Barred <i>Glaucidium capense</i>         |        |   |   |
| Owlet, Pearl-spotted <i>Glaucidium perlatum</i>         |        |   |   |
| Oxpecker, Red-billed <i>Buphagus erythrorhynchus</i>    |        |   |   |
| Oxpecker, Yellow-billed <i>Buphagus africanus</i>       |        |   |   |
| Oystercatcher, African Black <i>Haematopus moquini</i>  |        |   |   |
| Oystercatcher, Eurasian <i>Haematopus ostralegus</i>    | NA, NT | V |   |
| Painted-snipe, Greater <i>Rostratula benghalensis</i>   | NT, LC |   |   |
| Parakeet, Rose-ringed <i>Psittacula krameri</i>         |        | I |   |
| Parrot, Brown-headed <i>Poicephalus cryptoxanthus</i>   |        |   |   |
| Parrot, Cape <i>Poicephalus robustus</i>                | EN, VU |   | * |
| Parrot, Grey-headed <i>Poicephalus fuscicollis</i>      |        |   |   |
| Parrot, Meyer's <i>Poicephalus meyeri</i>               |        |   |   |
| Partridge, Chukar <i>Alectoris chukar</i>               |        | I |   |
| Peafowl, Indian <i>Pavo cristatus</i>                   |        | I |   |
| Pelican, Great White <i>Pelecanus onocrotalus</i>       | VU, LC |   |   |
| Pelican, Pink-backed <i>Pelecanus rufescens</i>         | VU, LC |   |   |
| Penduline-tit, Cape <i>Anthoscopus minutus</i>          |        |   |   |
| Penduline-tit, Grey <i>Anthoscopus caroli</i>           |        |   |   |
| Penguin, African <i>Spheniscus demersus</i>             | EN, EN |   |   |
| Penguin, King <i>Aptenodytes patagonicus</i>            | NT, LC | V |   |
| Penguin, Macaroni <i>Eudyptes chrysolophus</i>          | VU, VU | V |   |
| Penguin, Northern Rockhopper <i>Eudyptes moseleyi</i>   | NA, EN | V |   |
| Penguin, Southern Rockhopper <i>Eudyptes chrysocome</i> | EN, VU | V |   |
| Petrel, Antarctic <i>Thalassoica antarctica</i>         |        | V |   |
| Petrel, Atlantic <i>Pterodroma incerta</i>              | NA, EN | V |   |
| Petrel, Barau's <i>Pterodroma barau</i>                 | NA, EN | V |   |
| Petrel, Black-bellied Storm <i>Fregatta tropica</i>     | NT, LC |   |   |
| Petrel, Blue <i>Halobaena caerulea</i>                  | NT, LC | V |   |

| ✓ | SPECIES  | RD     | S | E   |
|---|--|--------|---|-----|
|   | <b>Petrel, European Storm</b> <i>Hydrobates pelagicus</i>        |        |   |     |
|   | <b>Petrel, Great-winged</b> <i>Pterodroma macroptera</i>         | NT, LC |   |     |
|   | <b>Petrel, Grey</b> <i>Procellaria cinerea</i>                   | VU, NT | V |     |
|   | <b>Petrel, Grey-backed Storm</b> <i>Garrodia nereis</i>          | NT, LC | V |     |
|   | <b>Petrel, Kerguelen</b> <i>Lugensa brevirostris</i>             | NT, LC | V |     |
|   | <b>Petrel, Leach's Storm</b> <i>Oceanodroma leucorhoa</i>        | CR, VU |   |     |
|   | <b>Petrel, Matsudaira's Storm</b> <i>Oceanodroma matsudairae</i> | NA, VU | V |     |
|   | <b>Petrel, Northern Giant</b> <i>Macronectes halli</i>           | NT, LC |   |     |
|   | <b>Petrel, Pintado</b> <i>Daption capense</i>                    |        |   |     |
|   | <b>Petrel, Soft-plumaged</b> <i>Pterodroma mollis</i>            | NT, LC |   |     |
|   | <b>Petrel, Southern Giant</b> <i>Macronectes giganteus</i>       | NT, LC |   |     |
|   | <b>Petrel, Spectacled</b> <i>Procellaria conspicillata</i>       | VU, VU |   |     |
|   | <b>Petrel, White-bellied Storm</b> <i>Fregetta grallaria</i>     |        | V |     |
|   | <b>Petrel, White-chinned</b> <i>Procellaria aequinoctialis</i>   | VU, VU |   |     |
|   | <b>Petrel, White-faced Storm</b> <i>Pelagodroma marina</i>       |        | V |     |
|   | <b>Petrel, White-headed</b> <i>Pterodroma lessonii</i>           |        | V |     |
|   | <b>Petrel, Wilson's Storm</b> <i>Oceanites oceanicus</i>         |        |   |     |
|   | <b>Petronia, Yellow-throated</b> <i>Gymnoris supercilii</i>      |        |   |     |
|   | <b>Phalarope, Red</b> <i>Phalaropus fulicarius</i>               |        |   |     |
|   | <b>Phalarope, Red-necked</b> <i>Phalaropus lobatus</i>           |        |   |     |
|   | <b>Phalarope, Wilson's</b> <i>Phalaropus tricolor</i>            |        | V |     |
|   | <b>Pigeon, African Green</b> <i>Treron calvus</i>                |        |   |     |
|   | <b>Pigeon, African Olive</b> <i>Columba arquatrix</i>            |        |   |     |
|   | <b>Pigeon, Eastern Bronze-naped</b> <i>Columba delegorguei</i>   | EN, LC |   |     |
|   | <b>Pigeon, Speckled</b> <i>Columba guinea</i>                    |        |   |     |
|   | <b>Pintail, Northern</b> <i>Anas acuta</i>                       |        | V |     |
|   | <b>Pipit, African</b> <i>Anthus cinnamomeus</i>                  |        |   |     |
|   | <b>Pipit, African Rock</b> <i>Anthus crenatus</i>                | NT, LC |   | SLS |
|   | <b>Pipit, Buffy</b> <i>Anthus vaalensis</i>                      |        |   |     |
|   | <b>Pipit, Bushveld</b> <i>Anthus caffer</i>                      |        |   |     |

| ✓ | SPECIES   | RD     | S | E   |
|---|---|--------|---|-----|
|   | <b>Pipit, Golden</b> <i>Tmetothylacus tenellus</i>          |        | V |     |
|   | <b>Pipit, Long-billed</b> <i>Anthus similis</i>             |        |   |     |
|   | <b>Pipit, Mountain</b> <i>Anthus editus</i>                 | NT, NT |   | SLS |
|   | <b>Pipit, Plain-backed</b> <i>Anthus leucophrys</i>         |        |   |     |
|   | <b>Pipit, Red-throated</b> <i>Anthus cervinus</i>           |        | V |     |
|   | <b>Pipit, Short-tailed</b> <i>Anthus brachyurus</i>         | VU, LC |   |     |
|   | <b>Pipit, Striped</b> <i>Anthus lineiventris</i>            |        |   |     |
|   | <b>Pipit, Tree</b> <i>Anthus trivialis</i>                  |        |   |     |
|   | <b>Pipit, Yellow-breasted</b> <i>Anthus chloris</i>         | VU, VU |   | *   |
|   | <b>Pitta, African</b> <i>Pitta angolensis</i>               |        | V |     |
|   | <b>Plover, American Golden</b> <i>Pluvialis dominica</i>    |        | V |     |
|   | <b>Plover, Caspian</b> <i>Charadrius asiaticus</i>          |        |   |     |
|   | <b>Plover, Chestnut-banded</b> <i>Charadrius pallidus</i>   | NT, NT |   |     |
|   | <b>Plover, Common Ringed</b> <i>Charadrius hiaticula</i>    |        |   |     |
|   | <b>Plover, Crab-</b> <i>Dromas ardeola</i>                  |        | V |     |
|   | <b>Plover, Greater Sand</b> <i>Charadrius leschenaultii</i> |        |   |     |
|   | <b>Plover, Grey</b> <i>Pluvialis squatarola</i>             |        |   |     |
|   | <b>Plover, Kittlitz's</b> <i>Charadrius pecuarius</i>       |        |   |     |
|   | <b>Plover, Lesser Sand</b> <i>Charadrius mongolus</i>       |        |   |     |
|   | <b>Plover, Pacific Golden</b> <i>Pluvialis fulva</i>        |        | V |     |
|   | <b>Plover, Three-banded</b> <i>Charadrius tricollaris</i>   |        |   |     |
|   | <b>Plover, White-fronted</b> <i>Charadrius marginatus</i>   |        |   |     |
|   | <b>Pochard, Southern</b> <i>Netta erythrophthalma</i>       |        |   |     |
|   | <b>Pratincole, Black-winged</b> <i>Glareola nordmanni</i>   | NT, NT |   |     |
|   | <b>Pratincole, Collared</b> <i>Glareola pratincola</i>      |        |   |     |
|   | <b>Pratincole, Rock</b> <i>Glareola nuchalis</i>            |        | V |     |
|   | <b>Prinia, Black-chested</b> <i>Prinia flavicans</i>        |        |   |     |
|   | <b>Prinia, Drakensberg</b> <i>Prinia hypoxantha</i>         |        |   | SLS |
|   | <b>Prinia, Karoo</b> <i>Prinia maculosa</i>                 |        |   | (*) |
|   | <b>Prinia, Tawny-flanked</b> <i>Prinia subflava</i>         |        |   |     |

| ✓ SPECIES   | RD     | S | E   |
|---|--------|---|-----|
| Prion, Antarctic <i>Pachyptila desolata</i>               |        |   |     |
| Prion, Broad-billed <i>Pachyptila vittata</i>             |        | V |     |
| Prion, Fairy <i>Pachyptila turtur</i>                     | NT, LC | V |     |
| Prion, Salvin's <i>Pachyptila salvini</i>                 | NT, LC | V |     |
| Prion, Slender-billed <i>Pachyptila belcheri</i>          |        | V |     |
| Puffback, Black-backed <i>Dryoscopus cubla</i>            |        |   |     |
| Pytilia, Green-winged <i>Pytilia melba</i>                |        |   |     |
| Pytilia, Orange-winged <i>Pytilia afra</i>                |        |   |     |
| Quail, Blue <i>Excalfactoria adansonii</i>                |        | V |     |
| Quail, Common <i>Coturnix coturnix</i>                    |        |   |     |
| Quail, Harlequin <i>Coturnix delegorguei</i>              |        |   |     |
| Quail-finch, African <i>Ortygospiza fuscocrista</i>       |        |   |     |
| Quelea, Red-billed <i>Quelea quelea</i>                   |        |   |     |
| Quelea, Red-headed <i>Quelea erythropus</i>               |        |   |     |
| Rail, African <i>Rallus caerulescens</i>                  |        |   |     |
| Raven, White-necked <i>Corvus albicollis</i>              |        |   |     |
| Redshank, Common <i>Tringa totanus</i>                    |        |   |     |
| Redshank, Spotted <i>Tringa erythropus</i>                |        | V |     |
| Redstart, Common <i>Phoenicurus phoenicurus</i>           |        | V |     |
| Robin, Bearded Scrub <i>Cercotrichas quadrivirgata</i>    |        |   |     |
| Robin, Brown Scrub <i>Cercotrichas signata</i>            |        |   | (*) |
| Robin, Kalahari Scrub <i>Cercotrichas paena</i>           |        |   |     |
| Robin, Karoo Scrub <i>Cercotrichas coryphoeus</i>         |        |   |     |
| Robin, Rufous-tailed Scrub <i>Cercotrichas galactotes</i> |        | V |     |
| Robin, White-browed Scrub <i>Cercotrichas leucophrys</i>  |        |   |     |
| Robin, White-starred <i>Pogonochlora stellata</i>         |        |   |     |
| Robin, White-throated <i>Irania gutturalis</i>            |        | V |     |
| Robin-chat, Cape <i>Cossypha caffra</i>                   |        |   |     |
| Robin-chat, Chorister <i>Cossypha dichroa</i>             |        |   | SLS |
| Robin-chat, Red-capped <i>Cossypha natalensis</i>         |        |   |     |

| ✓ SPECIES   | RD     | S | E   |
|---|--------|---|-----|
| Robin-chat, White-browed <i>Cossypha heuglini</i>       |        |   |     |
| Robin-chat, White-throated <i>Cossypha humeralis</i>    |        |   |     |
| Rockjumper, Cape <i>Chaetops frenatus</i>               | NT, NT |   | *   |
| Rockjumper, Drakensberg <i>Chaetops aurantius</i>       | LC, NT |   | SLS |
| Roller, Broad-billed <i>Eurystomus glaucurus</i>        |        |   |     |
| Roller, European <i>Coracias garrulus</i>               | NT, LC |   |     |
| Roller, Lilac-breasted <i>Coracias caudatus</i>         |        |   |     |
| Roller, Purple <i>Coracias naevius</i>                  |        |   |     |
| Roller, Racket-tailed <i>Coracias spatulatus</i>        |        |   |     |
| Ruff <i>Philomachus pugnax</i>                          |        |   |     |
| Sanderling <i>Calidris alba</i>                         |        |   |     |
| Sandgrouse, Burchell's <i>Pterocles burchelli</i>       |        |   |     |
| Sandgrouse, Double-banded <i>Pterocles bicinctus</i>    |        |   |     |
| Sandgrouse, Namaqua <i>Pterocles namaqua</i>            |        |   |     |
| Sandgrouse, Yellow-throated <i>Pterocles gutturalis</i> | NT, LC |   |     |
| Sandpiper, Baird's <i>Calidris bairdii</i>              |        | V |     |
| Sandpiper, Broad-billed <i>Limicola falcinellus</i>     |        | V |     |
| Sandpiper, Buff-breasted <i>Tryngites subruficollis</i> | NA, NT | V |     |
| Sandpiper, Common <i>Actitis hypoleucos</i>             |        |   |     |
| Sandpiper, Curlew <i>Calidris ferruginea</i>            | LC, NT |   |     |
| Sandpiper, Green <i>Tringa ochropus</i>                 |        |   |     |
| Sandpiper, Marsh <i>Tringa stagnatilis</i>              |        |   |     |
| Sandpiper, Pectoral <i>Calidris melanotos</i>           |        |   |     |
| Sandpiper, Terek <i>Xenus cinereus</i>                  |        |   |     |
| Sandpiper, White-rumped <i>Calidris fuscicollis</i>     |        | V |     |
| Sandpiper, Wood <i>Tringa glareola</i>                  |        |   |     |
| Saw-wing, Black <i>Psalidoprocne pristoptera</i>        |        |   |     |
| Scimitarbill, Common <i>Rhinopomastus cyanomelas</i>    |        |   |     |
| Secretarybird <i>Sagittarius serpentarius</i>           | VU, VU |   |     |
| Seed eater (Canary), Protea <i>Crithagra leucoptera</i> | NT, NT |   | *   |

| ✓ | SPECIES  | RD     | S | E   |
|---|--|--------|---|-----|
|   | Seedeater, Streaky-headed <i>Crithagra gularis</i>             |        |   |     |
|   | Shearwater, Cory's <i>Calonectris borealis</i>                 |        |   |     |
|   | Shearwater, Flesh-footed <i>Puffinus carneipes</i>             | LC,NT  |   |     |
|   | Shearwater, Great <i>Puffinus gravis</i>                       |        |   |     |
|   | Shearwater, Little <i>Puffinus assimilis</i>                   |        | V |     |
|   | Shearwater, Manx <i>Puffinus puffinus</i>                      |        |   |     |
|   | Shearwater, Sooty <i>Puffinus griseus</i>                      | NT, NT |   |     |
|   | Shearwater, Streaked <i>Calonectris leucomelas</i>             | NA,NT  | V |     |
|   | Shearwater, Subantarctic <i>Puffinus elegans</i>               |        | V |     |
|   | Shearwater, Tropical <i>Puffinus bailloni</i>                  |        | V |     |
|   | Shearwater, Wedge-tailed <i>Puffinus pacificus</i>             |        | V |     |
|   | Sheathbill, Greater <i>Chionis albus</i>                       |        | V |     |
|   | Shelduck, South African <i>Tadorna cana</i>                    |        |   |     |
|   | Shikra <i>Accipiter badius</i>                                 |        |   |     |
|   | Shoveler, Cape <i>Anas smithii</i>                             |        |   |     |
|   | Shrike, Crimson-breasted <i>Laniarius atrococcineus</i>        |        |   |     |
|   | Shrike, Lesser Grey <i>Lanius minor</i>                        |        |   |     |
|   | Shrike, Magpie <i>Corvinella melanoleuca</i>                   |        |   |     |
|   | Shrike, Red-backed <i>Lanius collurio</i>                      |        |   |     |
|   | Shrike, Southern White-crowned <i>Eurocephalus anguitimens</i> |        |   |     |
|   | Siskin, Cape <i>Crithagra totta</i>                            |        |   | *   |
|   | Siskin, Drakensberg <i>Crithagra symonsi</i>                   |        |   | SLS |
|   | Skimmer, African <i>Rynchops flavirostris</i>                  | NA, NT |   |     |
|   | Skimmer, Black <i>Rynchops niger</i>                           |        | V |     |
|   | Skua, South Polar <i>Stercorarius maccormicki</i>              |        | V |     |
|   | Skua, Subantarctic <i>Stercorarius antarcticus</i>             | EN, LC |   |     |
|   | Snipe, African <i>Gallinago nigripennis</i>                    |        |   |     |
|   | Snipe, Great <i>Gallinago media</i>                            | NA, NT | V |     |
|   | Sparrow, Cape <i>Passer melanurus</i>                          |        |   |     |
|   | Sparrow, Great <i>Passer motitensis</i>                        |        |   |     |

| ✓ | SPECIES   | RD | S | E   |
|---|---|----|---|-----|
|   | Sparrow, House <i>Passer domesticus</i>                     |    | I |     |
|   | Sparrow, Southern Grey-headed <i>Passer diffusus</i>        |    |   |     |
|   | Sparrowhawk, Black <i>Accipiter melanoleucus</i>            |    |   |     |
|   | Sparrowhawk, Little <i>Accipiter minullus</i>               |    |   |     |
|   | Sparrowhawk, Ovambo <i>Accipiter ovampensis</i>             |    |   |     |
|   | Sparrowhawk, Rufous-breasted <i>Accipiter rufiventris</i>   |    |   |     |
|   | Sparrow-weaver, White-browed <i>Plocepasser mahali</i>      |    |   |     |
|   | Spinetail, Böhm's <i>Neafrapus boehmi</i>                   |    |   |     |
|   | Spinetail, Mottled <i>Telacanthura ussheri</i>              |    |   |     |
|   | Spoonbill, African <i>Platalea alba</i>                     |    |   |     |
|   | Spurfowl, Cape <i>Pternistis capensis</i>                   |    |   | (*) |
|   | Spurfowl, Natal <i>Pternistis natalensis</i>                |    |   |     |
|   | Spurfowl, Red-billed <i>Pternistis adspersus</i>            |    |   |     |
|   | Spurfowl, Red-necked <i>Pternistis afer</i>                 |    |   |     |
|   | Spurfowl, Swainson's <i>Pternistis swainsonii</i>           |    |   |     |
|   | Starling, Black-bellied <i>Notopholia corrusca</i>          |    |   |     |
|   | Starling, Burchell's <i>Lamprolornis australis</i>          |    |   |     |
|   | Starling, Cape Glossy <i>Lamprolornis nitens</i>            |    |   |     |
|   | Starling, Common <i>Sturnus vulgaris</i>                    |    | I |     |
|   | Starling, Greater Blue-eared <i>Lamprolornis chalybaeus</i> |    |   |     |
|   | Starling, Meves's <i>Lamprolornis mevesii</i>               |    |   |     |
|   | Starling, Miombo Blue-eared <i>Lamprolornis elisabeth</i>   |    | V |     |
|   | Starling, Pale-winged <i>Onychognathus nabouroup</i>        |    |   |     |
|   | Starling, Pied <i>Lamprolornis bicolor</i>                  |    |   | SLS |
|   | Starling, Red-winged <i>Onychognathus morio</i>             |    |   |     |
|   | Starling, Rosy <i>Pastor roseus</i>                         |    | V |     |
|   | Starling, Violet-backed <i>Cinnyricinclus leucogaster</i>   |    |   |     |
|   | Starling, Wattled <i>Creatophora cinerea</i>                |    |   |     |
|   | Stilt, Black-winged <i>Himantopus himantopus</i>            |    |   |     |
|   | Stint, Little <i>Calidris minuta</i>                        |    |   |     |

| ✓ SPECIES   | RD     | S | E   |
|---|--------|---|-----|
| Stint, Long-toed <i>Calidris subminuta</i>                  |        | V |     |
| Stint, Red-necked <i>Calidris ruficollis</i>                | NA, NT | V |     |
| Stint, Temminck's <i>Calidris temminckii</i>                |        | V |     |
| Stonechat, African <i>Saxicola torquatus</i>                |        |   |     |
| Stork, Abdim's <i>Ciconia abdimii</i>                       | NT, LC |   |     |
| Stork, Black <i>Ciconia nigra</i>                           | VU, LC |   |     |
| Stork, Marabou <i>Leptoptilos crumeniferus</i>              | NT, LC |   |     |
| Stork, Saddle-billed <i>Ephippiorhynchus senegalensis</i>   | EN, LC |   |     |
| Stork, White <i>Ciconia ciconia</i>                         |        |   |     |
| Stork, Woolly-necked <i>Ciconia episcopus</i>               |        |   |     |
| Stork, Yellow-billed <i>Mycteria ibis</i>                   | EN, LC |   |     |
| Sugarbird, Cape <i>Promerops cafer</i>                      |        |   | *   |
| Sugarbird, Gurney's <i>Promerops gurneyi</i>                | LC, NT |   | (*) |
| Sunbird, Amethyst <i>Chalcomitra amethystina</i>            |        |   |     |
| Sunbird, Collared <i>Anthodiaeta collaris</i>               |        |   |     |
| Sunbird, Dusky <i>Cinnyris fuscus</i>                       |        |   |     |
| Sunbird, Greater Double-collared <i>Cinnyris afer</i>       |        |   | SLS |
| Sunbird, Grey <i>Cyanomitra veroxii</i>                     |        |   |     |
| Sunbird, Malachite <i>Nectarinia famosa</i>                 |        |   |     |
| Sunbird, Marico <i>Cinnyris mariquensis</i>                 |        |   |     |
| Sunbird, Neergaard's <i>Cinnyris neergaardi</i>             | VU, NT |   |     |
| Sunbird, Olive <i>Cyanomitra olivacea</i>                   |        |   |     |
| Sunbird, Orange-breasted <i>Anthobaphes violacea</i>        |        |   | *   |
| Sunbird, Plain-backed <i>Anthreptes reichenowi</i>          |        |   |     |
| Sunbird, Purple-banded <i>Cinnyris bifasciatus</i>          |        |   |     |
| Sunbird, Scarlet-chested <i>Chalcomitra senegalensis</i>    |        |   |     |
| Sunbird, Southern Double-collared <i>Cinnyris chalybeus</i> |        |   | (*) |
| Sunbird, Variable <i>Cinnyris venustus</i>                  |        | V |     |
| Sunbird, White-bellied <i>Cinnyris talatala</i>             |        |   |     |
| Swallow, Barn <i>Hirundo rustica</i>                        |        |   |     |

| ✓ SPECIES  | RD     | S | E    |
|--|--------|---|------|
| Swallow, Blue <i>Hirundo atrocaerulea</i>                    | CR, VU |   |      |
| Swallow, Greater Striped <i>Cecropis cucullata</i>           |        |   |      |
| Swallow, Grey-rumped <i>Pseudhirundo griseopyga</i>          |        |   |      |
| Swallow, Lesser Striped <i>Cecropis abyssinica</i>           |        |   |      |
| Swallow, Mosque <i>Cecropis senegalensis</i>                 |        |   |      |
| Swallow, Pearl-breasted <i>Hirundo dimidiata</i>             |        |   |      |
| Swallow, Red-breasted <i>Cecropis semirufa</i>               |        |   |      |
| Swallow, South African Cliff <i>Petrochelidon spilodera</i>  |        |   | BSLS |
| Swallow, White-throated <i>Hirundo albigularis</i>           |        |   |      |
| Swallow, Wire-tailed <i>Hirundo smithii</i>                  |        |   |      |
| Swamphen, African (Purple) <i>Porphyrio madagascariensis</i> |        |   |      |
| Swan, Mute <i>Cygnus olor</i>                                |        | I |      |
| Swift, African Black <i>Apus barbatus</i>                    |        |   |      |
| Swift, African Palm <i>Cypsiurus parvus</i>                  |        |   |      |
| Swift, Alpine <i>Tachymarptis melba</i>                      |        |   |      |
| Swift, Bradfield's <i>Apus bradfieldi</i>                    |        |   |      |
| Swift, Common <i>Apus apus</i>                               |        |   |      |
| Swift, Horus <i>Apus horus</i>                               |        |   |      |
| Swift, Little <i>Apus affinis</i>                            |        |   |      |
| Swift, White-rumped <i>Apus caffer</i>                       |        |   |      |
| Tchagra, Black-crowned <i>Tchagra senegalus</i>              |        |   |      |
| Tchagra, Brown-crowned <i>Tchagra australis</i>              |        |   |      |
| Tchagra, Southern <i>Tchagra tchagra</i>                     |        |   | (*)  |
| Teal, Cape <i>Anas capensis</i>                              |        |   |      |
| Teal, Hottentot <i>Anas hottentota</i>                       |        |   |      |
| Teal, Red-billed <i>Anas erythrorhyncha</i>                  |        |   |      |
| Tern, Antarctic <i>Sterna vittata</i>                        | EN, LC |   |      |
| Tern, Arctic <i>Sterna paradisaea</i>                        |        |   |      |
| Tern, Black <i>Chlidonias niger</i>                          |        |   |      |
| Tern, Black-naped <i>Sterna sumatrana</i>                    |        | V |      |

| ✓ SPECIES   | RD     | S | E   |
|---|--------|---|-----|
| <b>Tern, Bridled</b> <i>Onychoprion anaethetus</i>              |        | V |     |
| <b>Tern, Caspian</b> <i>Sterna caspia</i>                       | VU, LC |   |     |
| <b>Tern, Common</b> <i>Sterna hirundo</i>                       |        |   |     |
| <b>Tern, Damara</b> <i>Sterna balaenarum</i>                    | CR, VU |   |     |
| <b>Tern, Elegant</b> <i>Sterna elegans</i>                      |        | V |     |
| <b>Tern, Gull-billed</b> <i>Gelochelidon nilotica</i>           |        | V |     |
| <b>Tern, Lesser Crested</b> <i>Thalasseus bengalensis</i>       |        |   |     |
| <b>Tern, Little</b> <i>Sterna albifrons</i>                     |        |   |     |
| <b>Tern, Roseate</b> <i>Sterna dougallii</i>                    | EN, LC |   |     |
| <b>Tern, Sandwich</b> <i>Thalasseus sandvicensis</i>            |        |   |     |
| <b>Tern, Sooty</b> <i>Onychoprion fuscatus</i>                  |        |   |     |
| <b>Tern, Swift</b> <i>Thalasseus bergii</i>                     |        |   |     |
| <b>Tern, Whiskered</b> <i>Chlidonias hybrida</i>                |        |   |     |
| <b>Tern, White-cheeked</b> <i>Sterna repressa</i>               |        | V |     |
| <b>Tern, White-winged</b> <i>Chlidonias leucopterus</i>         |        |   |     |
| <b>Thick-knee, Spotted</b> <i>Burhinus capensis</i>             |        |   |     |
| <b>Thick-knee, Water</b> <i>Burhinus vermiculatus</i>           |        |   |     |
| <b>Thrush, Cape Rock</b> <i>Monticola rupestris</i>             |        |   | SLS |
| <b>Thrush, Collared Palm</b> <i>Cichladusa arquata</i>          |        |   |     |
| <b>Thrush, Groundscraper</b> <i>Turdus litsisirupa</i>          |        |   |     |
| <b>Thrush, Karoo</b> <i>Turdus smithi</i>                       |        |   | (*) |
| <b>Thrush, Kurrichane</b> <i>Turdus libyanus</i>                |        |   |     |
| <b>Thrush, Olive</b> <i>Turdus olivaceus</i>                    |        |   |     |
| <b>Thrush, Orange Ground</b> <i>Geokichla gurneyi</i>           | NT, LC |   |     |
| <b>Thrush, Sentinel Rock</b> <i>Monticola explorator</i>        | LC, NT |   | SLS |
| <b>Thrush, Short-toed Rock</b> <i>Monticola brevipes</i>        |        |   |     |
| <b>Thrush, Spotted Ground</b> <i>Geokichla guttata</i>          | EN, EN |   |     |
| <b>Tinkerbird, Red-fronted</b> <i>Pogoniulus pusillus</i>       |        |   |     |
| <b>Tinkerbird, Yellow-fronted</b> <i>Pogoniulus chrysoconus</i> |        |   |     |
| <b>Tinkerbird, Yellow-rumped</b> <i>Pogoniulus bilineatus</i>   |        |   |     |

| ✓ SPECIES   | RD     | S | E   |
|---|--------|---|-----|
| <b>Tit, Ashy</b> <i>Parus cinerascens</i>                     |        |   |     |
| <b>Tit, Grey</b> <i>Parus afer</i>                            |        |   | (*) |
| <b>Tit, Southern Black</b> <i>Parus niger</i>                 |        |   |     |
| <b>Tit-babbler, Chestnut-vented</b> <i>Sylvia subcoerulea</i> |        |   |     |
| <b>Tit-babbler, Layard's</b> <i>Sylvia layardi</i>            |        |   | (*) |
| <b>Trogon, Narina</b> <i>Apaloderma narina</i>                |        |   |     |
| <b>Tropicbird, Red-billed</b> <i>Phaethon aethereus</i>       |        | V |     |
| <b>Tropicbird, Red-tailed</b> <i>Phaethon rubricauda</i>      |        | V |     |
| <b>Tropicbird, White-tailed</b> <i>Phaethon lepturus</i>      |        | V |     |
| <b>Turaco, Knysna</b> <i>Tauraco corythaix</i>                |        |   | SLS |
| <b>Turaco, Livingstone's</b> <i>Tauraco livingstonii</i>      |        |   |     |
| <b>Turaco, Purple-crested</b> <i>Tauraco porphyreolophus</i>  |        |   |     |
| <b>Turnstone, Ruddy</b> <i>Arenaria interpres</i>             |        |   |     |
| <b>Twinspot, Green</b> <i>Mandingoa nitidula</i>              |        |   |     |
| <b>Twinspot, Pink-throated</b> <i>Hypargos margaritatus</i>   |        |   |     |
| <b>Twinspot, Red-throated</b> <i>Hypargos niveoguttatus</i>   |        |   |     |
| <b>Vulture, Bearded</b> <i>Gypaetus barbatus</i>              | CR, NT |   |     |
| <b>Vulture, Cape</b> <i>Gyps coprotheres</i>                  | EN, EN |   |     |
| <b>Vulture, Egyptian</b> <i>Neophron percnopterus</i>         | NA, EN | V |     |
| <b>Vulture, Hooded</b> <i>Necrosyrtes monachus</i>            | CR, CR |   |     |
| <b>Vulture, Lappet-faced</b> <i>Torgos tracheliotos</i>       | EN, EN |   |     |
| <b>Vulture, Palm-nut</b> <i>Gypohierax angolensis</i>         |        |   |     |
| <b>Vulture, Rüppell's</b> <i>Gyps rueppelli</i>               | NA, CR | V |     |
| <b>Vulture, White-backed</b> <i>Gyps africanus</i>            | CR, CR |   |     |
| <b>Vulture, White-headed</b> <i>Trigonoceps occipitalis</i>   | CR, CR |   |     |
| <b>Wagtail, African Pied</b> <i>Motacilla aguimp</i>          |        |   |     |
| <b>Wagtail, Cape</b> <i>Motacilla capensis</i>                |        |   |     |
| <b>Wagtail, Citrine</b> <i>Motacilla citreola</i>             |        | V |     |
| <b>Wagtail, Grey</b> <i>Motacilla cinerea</i>                 |        | V |     |
| <b>Wagtail, Mountain</b> <i>Motacilla clara</i>               |        |   |     |

| ✓ SPECIES   | RD     | S | E   |
|---|--------|---|-----|
| Wagtail, Western Yellow <i>Motacilla flava</i>                    |        |   |     |
| Warbler, African Reed <i>Acrocephalus baeticatus</i>              |        |   |     |
| Warbler, Barratt's <i>Bradypterus barratti</i>                    |        |   | (*) |
| Warbler, Barred Wren- <i>Calamonastes fasciolatus</i>             |        |   |     |
| Warbler, Basra Reed <i>Acrocephalus griseldis</i>                 |        | V |     |
| Warbler, Broad-tailed <i>Schoenicola brevirostris</i>             |        |   |     |
| Warbler, Cinnamon-breasted <i>Euryptila subcinnamomea</i>         |        |   | (*) |
| Warbler, Dark-capped Yellow <i>Iduna natalensis</i>               |        |   |     |
| Warbler, Eurasian Reed <i>Acrocephalus scirpaceus</i>             |        | V |     |
| Warbler, Garden <i>Sylvia borin</i>                               |        |   |     |
| Warbler, Great Reed <i>Acrocephalus arundinaceus</i>              |        |   |     |
| Warbler, Icterine <i>Hippolais icterina</i>                       |        |   |     |
| Warbler, Knysna <i>Bradypterus sylvaticus</i>                     | VU, VU |   | *   |
| Warbler, Lesser Swamp <i>Acrocephalus gracilirostris</i>          |        |   |     |
| Warbler, Little Rush <i>Bradypterus baboecala</i>                 |        |   |     |
| Warbler, Marsh <i>Acrocephalus palustris</i>                      |        |   |     |
| Warbler, Namaqua <i>Phragmacia substriata</i>                     |        |   | (*) |
| Warbler, Olive-tree <i>Hippolais olivetorum</i>                   |        |   |     |
| Warbler, River <i>Locustella fluviatilis</i>                      |        |   |     |
| Warbler, Rufous-eared <i>Malcorus pectoralis</i>                  |        |   |     |
| Warbler, Sedge <i>Acrocephalus schoenobaenus</i>                  |        |   |     |
| Warbler, Stierling's Wren- <i>Calamonastes stierlingi</i>         |        |   |     |
| Warbler, Victorin's <i>Cryptillas victorini</i>                   |        |   | *   |
| Warbler, Willow <i>Phylloscopus trochilus</i>                     |        |   |     |
| Warbler, Yellow-throated Woodland <i>Phylloscopus ruficapilla</i> |        |   |     |
| Wattle-eye, Black-throated <i>Platysteira peltata</i>             |        |   |     |
| Waxbill, Black-faced <i>Estrilda erythronotos</i>                 |        |   |     |
| Waxbill, Blue <i>Uraeginthus angolensis</i>                       |        |   |     |
| Waxbill, Common <i>Estrilda astrild</i>                           |        |   |     |
| Waxbill, Grey <i>Estrilda perreini</i>                            |        |   |     |

| ✓ SPECIES   | RD | S | E   |
|---|----|---|-----|
| Waxbill, Orange-breasted <i>Amandava subflava</i>           |    |   |     |
| Waxbill, Sweet <i>Coccyzygia melanotis</i>                  |    |   | (*) |
| Waxbill, Violet-eared <i>Uraeginthus granatinus</i>         |    |   |     |
| Weaver, African (Holub's) Golden <i>Ploceus xanthops</i>    |    |   |     |
| Weaver, Cape <i>Ploceus capensis</i>                        |    |   | (*) |
| Weaver, Chestnut <i>Ploceus rubiginosus</i>                 |    | V |     |
| Weaver, Dark-backed <i>Ploceus bicolor</i>                  |    |   |     |
| Weaver, Lesser Masked <i>Ploceus intermedius</i>            |    |   |     |
| Weaver, Red-billed Buffalo <i>Bubalornis niger</i>          |    |   |     |
| Weaver, Red-headed <i>Anaplectes rubriceps</i>              |    |   |     |
| Weaver, Sociable <i>Philetairus socius</i>                  |    |   |     |
| Weaver, Southern Brown-throated <i>Ploceus xanthopterus</i> |    |   |     |
| Weaver, Southern Masked <i>Ploceus velatus</i>              |    |   |     |
| Weaver, Spectacled <i>Ploceus ocularis</i>                  |    |   |     |
| Weaver, Thick-billed <i>Amblyospiza albifrons</i>           |    |   |     |
| Weaver, Village <i>Ploceus cucullatus</i>                   |    |   |     |
| Weaver, Yellow <i>Ploceus subaureus</i>                     |    |   |     |
| Wheatear, Capped <i>Oenanthe pileata</i>                    |    |   |     |
| Wheatear, Mountain <i>Oenanthe monticola</i>                |    |   |     |
| Wheatear, Northern <i>Oenanthe oenanthe</i>                 |    | V |     |
| Wheatear, Pied <i>Oenanthe pleschanka</i>                   |    | V |     |
| Whimbrel, Common <i>Numenius phaeopus</i>                   |    |   |     |
| Whinchat <i>Saxicola rubetra</i>                            |    | V |     |
| White-eye, African Yellow <i>Zosterops senegalensis</i>     |    |   |     |
| White-eye, Cape <i>Zosterops virens</i>                     |    |   | (*) |
| White-eye, Orange River <i>Zosterops pallidus</i>           |    |   |     |
| Whitethroat, Common <i>Sylvia communis</i>                  |    |   |     |
| Whydah, Broad-tailed Paradise <i>Vidua obtusa</i>           |    | V |     |
| Whydah, Long-tailed Paradise <i>Vidua paradisaea</i>        |    |   |     |
| Whydah, Pin-tailed <i>Vidua macroura</i>                    |    |   |     |



| ✓ | SPECIES   | RD     | S | E   |
|---|---|--------|---|-----|
|   | <b>Whydah, Shaft-tailed</b> <i>Vidua regia</i>              |        |   |     |
|   | <b>Widowbird, Fan-tailed</b> <i>Euplectes axillaris</i>     |        |   |     |
|   | <b>Widowbird, Long-tailed</b> <i>Euplectes progne</i>       |        |   |     |
|   | <b>Widowbird, Red-collared</b> <i>Euplectes ardens</i>      |        |   |     |
|   | <b>Widowbird, White-winged</b> <i>Euplectes albonotatus</i> |        |   |     |
|   | <b>Wood-hoopoe, Green</b> <i>Phoeniculus purpureus</i>      |        |   |     |
|   | <b>Woodpecker, Bearded</b> <i>Dendropicos namaquus</i>      |        |   |     |
|   | <b>Woodpecker, Bennett's</b> <i>Campethera bennettii</i>    |        |   |     |
|   | <b>Woodpecker, Cardinal</b> <i>Dendropicos fuscescens</i>   |        |   |     |
|   | <b>Woodpecker, Golden-tailed</b> <i>Campethera abingoni</i> |        |   |     |
|   | <b>Woodpecker, Ground</b> <i>Geocolaptes olivaceus</i>      | LC, NT |   | SLS |
|   | <b>Woodpecker, Knysna</b> <i>Campethera notata</i>          | NT, NT |   | *   |
|   | <b>Woodpecker, Olive</b> <i>Dendropicos griseocephalus</i>  |        |   |     |
|   | <b>Wryneck, Red-throated</b> <i>Jynx ruficollis</i>         |        |   |     |
|   | <b>Yellowlegs, Lesser</b> <i>Tringa flavipes</i>            |        | V |     |

**PRINCE EDWARD ISLANDS – NOT SEEN ON MAINLAND**

|  |  |        |   |  |
|--|--|--------|---|--|
|  | <b>Penguin, Chinstrap</b> <i>Pygoscelis antarctica</i>             |        | V |  |
|  | <b>Penguin, Gentoo</b> <i>Pygoscelis papua</i>                     | EN, NT |   |  |
|  | <b>Petrel, Common Diving</b> <i>Pelecanoides urinatrix</i>         | NT, LC |   |  |
|  | <b>Petrel, South Georgian Diving</b> <i>Pelecanoides georgicus</i> | NT, LC |   |  |
|  | <b>Pintail, Eaton's</b> <i>Anas eatoni</i>                         | NA, VU |   |  |
|  | <b>Shag, Crozet</b> <i>Phalacrocorax melanogenis</i>               | CR, NR |   |  |
|  | <b>Sheathbill, Lesser</b> <i>Chionis minor</i>                     | NT, LC |   |  |
|  | <b>Tern, Kerguelen</b> <i>Sterna virgata</i>                       | EN, NT |   |  |

**NOTES**

---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



---



***Giving Conservation Wings***

**BIRDLIFE SOUTH AFRICA**

Tel. +27 (0)11 789 1122

Fax +27 (0)11 789 5188

Compiled by Chris Lotz ([info@birdingecotours.co.za](mailto:info@birdingecotours.co.za)),  
Chairman of the BirdLife South Africa List Committee

The BirdLife South Africa List Committee for 2017 consisted of the following members: Chris Lotz (Chairman), David Allan, Rauri Bowie, Hugh Chittenden, Callan Cohen, Bob Dowsett, Trevor Hardaker, Guy Gibbon, Etienne Marais, Faansie Peacock, Ernst Retief, Hanneline Smit-Robinson, Peter Ryan and Martin Taylor.

First edition 2010

Second edition 2011

Third edition 2012

Fourth edition 2013

Fifth edition 2014

Sixth edition 2015

Seventh edition 2016

Eighth edition 2017

Ninth edition 2018

Front cover: African Black Oystercatcher *Haematopus moquini* – Bird of the Year  
Photographer: Mark D. Anderson

An Afrikaans version of this list can be downloaded from: <http://www.birdlife.org.za/publications/checklists>

Printed by Tandym Print, Cape Town